

Artificial Intelligence

5. First-Order Logic

Lars Schmidt-Thieme

Information Systems and Machine Learning Lab (ISMLL)

Institute of Economics and Information Systems

& Institute of Computer Science

University of Hildesheim

<http://www.ismll.uni-hildesheim.de>

1. Introduction

2. Syntax

3. Semantics

4. Example

5. Conclusion

What is first-order logic?

Think about expressing these phrases in propositional logic:

A := “Socrates is human.”

B := “All humans are mortal.”

C := “Thus, Socrates is mortal.”

How can we see that A , B , C are related?

First-order logic is richer than propositional logic:

$H(a)$

$\forall x H(x) \rightarrow M(x)$

$M(a)$

where a stands for “Socrates”, H for “is human”, and M for “is mortal”.

What is first-order logic?

$$\begin{array}{l} H(a) \\ \forall x H(x) \rightarrow M(x) \\ M(a) \end{array}$$

So what do we have here?

- x is a **variable**. Variables denote arbitrary elements (objects) of an underlying set.
- a is a **constant**. Constants denote specific elements of an underlying set.
- H and M are *unary* **relations**.
- \forall is the **all quantifier**. It is read “for all”.
- We can also use the connectives we already know from propositional logic.

In first-order logic, there are also relations with other arities, as well as *n-ary* **functions**. In addition to the all quantifier, there is the **existential quantifier**, read “there exists”.

1. Introduction

2. Syntax

3. Semantics

4. Example

5. Conclusion

Syntax: Symbols

- Let $\{f, g, h, \dots, f_1, f_2, \dots\}$ be the set of **function symbols**. Every function symbol has a given arity. Sometimes we write f^n to denote that f has arity n .
- Let $\{a, b, c, \dots, a_1, a_2, \dots\}$ be the set of **constant symbols**. Constant symbols can be seen as 0-ary function symbols.
- $\{P, R, S, \dots, P_1, P_2, \dots\}$ be the set of **relation symbols**. Every relation symbol (predicate) has a given arity. Sometimes we write P^n to denote that P has arity n .
- $\{x, y, z, x_1, x_2, \dots\}$ be the set of **variable symbols**.

Syntax: Terms

A **term** is a logical expression that refers to an object.

(T1) Every variable or constant symbol is a term.

(T2) If f is an n -ary function symbol and t_1, \dots, t_n are terms, then $f(t_1, \dots, t_n)$ is also a term.

Examples:

- a is a term, b as well.
- $f(a)$ is a term if f is unary.
- $f^3(a, x)$ is not a term.
- $P(x)$ and $P(x) \vee Q(x)$ are not terms.
- $f^1(f(f(a)))$ is a term.

More meaningful names for the symbols:

- *aristotle, socrates, kallias*
- *succ(root)*
- *Likes(zeno, hockey), Likes(steffen, soccer) \wedge Likes(steffen, hockey)*
- *succ(succ(succ(0)))*

Syntax: Formulas

An **atomic formula** has the form $t_1 = t_2$ or $R(t_1, \dots, t_n)$ is an n -ary relation symbol and t_1, \dots, t_n are terms.

(F0) Every atomic formula is a **formula**.

(F1) If ϕ is a formula then so is $(\neg\phi)$.

(F2) If ϕ and ψ are formulas then so is $(\phi \wedge \psi)$.

(F3) If ϕ is a formula, then so is $(\exists x\phi)$ for any variable x .

We define \vee , \rightarrow , and \leftrightarrow the same way as in propositional logic. For any formula ϕ , $(\forall x\phi)$ and $(\neg\exists x\neg\phi)$ are interchangeable.

Unnecessary brackets can be left out as in propositional logic.

Precedence: $\neg, \exists, \forall, \wedge, \vee, \rightarrow, \leftrightarrow$

Examples:

- $P(x)$ and $P(x) \vee Q(x)$ are formulas if P and Q are unary.
- $\text{succ}(\text{succ}(\text{succ}(0))) = 3$ is a formula.
- $\forall yP(x, y)$ is a formula and $x(P(z)\exists)$ is not.

Syntax: Subformulas

Let ϕ be a formula of first-order logic. We inductively define what it means for θ to be a **subformula** of ϕ as follows:

- If ϕ is atomic, then θ is a subformula of ϕ if and only if $\theta = \phi$.
- If ϕ has the form $\neg\psi$, then θ is a subformula of ϕ if and only if $\theta = \phi$ or θ is a subformula of ψ .
- If ϕ has the form $\psi_1 \wedge \psi_2$, then θ is a subformula of ϕ if and only if $\theta = \phi$ or θ is a subformula of ψ_1 , or θ is a subformula of ψ_2 .
- If ϕ has the form $\exists x\psi$, then θ is a subformula of ϕ if and only if $\theta = \phi$ or θ is a subformula of ψ .

Syntax: Free variables

The **free variables** of a formula are those variables occurring in it that are not quantified.

Example: In $\forall yR(x, y)$, x is free, but y is **bound** by $\forall y$.

For any first-order formula ϕ , let $free(\phi)$ denote the set of free variables of ϕ . We define $free(\phi)$ inductively as follows:

- If ϕ is atomic, then $free(\phi)$ is the set of all variables occurring in ϕ ,
- if $\phi = \neg\psi$, then $free(\phi) = free(\psi)$,
- if $\phi = \psi \wedge \theta$, then $free(\phi) = free(\psi) \cup free(\theta)$, and
- if $\phi = \exists x\psi$, then $free(\phi) = free(\psi) - \{x\}$.

How would you define the set of bound variables of ϕ , $bnd(\phi)$?

A **sentence** of first-order logic is a formula having no free variables.

1. Introduction

2. Syntax

3. Semantics

4. Example

5. Conclusion

Semantics: Vocabularies, structures and interpretations

A **vocabulary** is a set of function, relation, and constant symbols.

Let \mathcal{V} be a vocabulary. A \mathcal{V} -**structure** $M = (U, I)$ consists of a nonempty underlying set U (the **universe**) along with an interpretation I of \mathcal{V} . An **interpretation** I of \mathcal{V} assigns:

- an element of U to each constant symbol in \mathcal{V} ,
- a function from U^n to U to each n -ary function in \mathcal{V} , and
- a subset of U^n to each n -ary relation in \mathcal{V} .

Examples:

- $\mathcal{V} = \{f^1, R^2, c\}$, $\mathbf{Z} = (\mathbb{Z}, I_{\mathbf{Z}})$

The universe is the set of integers \mathbb{Z} .

$I_{\mathbf{Z}}$ could interpret $f(x)$ as x^2 , $R(x, y)$ as $x < y$, and c as 3.

- $\mathcal{V} = \{f^1, R^2, c\}$, $\mathbf{N} = (\mathbb{N}, I_{\mathbf{N}})$

The universe is the set of natural numbers \mathbb{N} .

$I_{\mathbf{N}}$ could interpret $f(x)$ as $x + 1$, $R(x, y)$ as $x < y$, and c as 0.

Semantics: \mathcal{V} -formulas and \mathcal{V} -sentences

Let \mathcal{V} be a vocabulary. A **\mathcal{V} -formula** is formula in which every function, relation, and constant symbol is in \mathcal{V} . A **\mathcal{V} -sentence** is a \mathcal{V} -formula that is a sentence.

If M is a \mathcal{V} -structure, then each \mathcal{V} -sentence ϕ is either true or false in M . If ϕ is true in M , then we say M **models** ϕ and write $M \models \phi$.

Example: $\mathcal{V}_{ar} = \{+, \cdot, 0, 1\}$ is the vocabulary of arithmetic. Then $\mathbf{R} = (\mathbb{R}, I_{\mathbf{R}})$ is an \mathcal{V}_{ar} -structure if $I_{\mathbf{R}}$ is a interpretation of \mathcal{V}_{ar} .

$\mathbf{R} \models \forall x \exists y (1 + x \cdot x = y)$

What about $\forall y \exists x (1 + x \cdot x = y)$?

Semantics: The value of terms

We define the value $V_M(t) \in U$ of a term t inductively as

- $V_M(t) = I_M(t)$, if t is a constant symbol, and
- $V_M(t) = I_M(f)(V_M(t_1), \dots, V_M(t_n))$, if $t = f^n(t_1, \dots, t_n)$.

Example: $\mathcal{V} = \{f^1, R^2, c\}$, $\mathbf{N} = (\mathbb{N}, I_{\mathbf{N}})$, interpretation $I_{\mathbf{N}}$ as before
What is the value of the term $t = f(f(c))$?

$$\begin{aligned}V_{\mathbf{N}}(f(f(c))) &= I_{\mathbf{N}}(f)(V_{\mathbf{N}}(f(c))) \\ &= I_{\mathbf{N}}(f)(I_{\mathbf{N}}(f)(V_{\mathbf{N}}(c))) \\ &= I_{\mathbf{N}}(f)(I_{\mathbf{N}}(f)(I_{\mathbf{N}}(c))) \\ &= I_{\mathbf{N}}(f)(I_{\mathbf{N}}(f)(0)) \\ &= I_{\mathbf{N}}(f)(1) \\ &= 2\end{aligned}$$

Semantics: Vocabulary/structure expansions and reducts

An **expansion** of a vocabulary \mathcal{V} is a vocabulary containing \mathcal{V} as a subset.

A structure M' is an expansion of the \mathcal{V} -structure M if M' has the same universe and interprets the symbols of \mathcal{V} in the same way as M .

If M' is an expansion of M , then we say that M is a **reduct** of M' .

Examples:

The $\{+, -, \cdot, <, 0, 1\}$ -structure $M' = (\mathbb{R}, I')$ is an expansion of the \mathcal{V}_{ar} -structure $M = (\mathbb{R}, I)$ if both I' and I interpret the symbols $+$, \cdot , 0 , and 1 in the usual way.

A $\{+, -, \cdot, <, 0, 1\}$ -structure $M'' = (\mathbb{Q}, I'')$ cannot be an expansion of M .

Any structure is an expansion of itself.

Semantics: The value of formulas

We define $M \models \phi$ by induction:

- $M \models t_1 = t_2$ if and only if $V(t_1) = V(t_2)$,
- $M \models R^n(t_1, \dots, t_n)$ iff. $(V_M(t_1), \dots, V_M(t_n)) \in I_M(R^n)$,
- $M \models \neg\phi$ iff. M does not model ϕ ,
- $M \models \phi_1 \wedge \phi_2$ iff. both $M \models \phi_1$ and $M \models \phi_2$, and
- $M \models \exists x\phi(x)$ iff. $M_C \models \phi(c)$ for some constant $c \in \mathcal{V}(M)$.

$$\mathcal{V}(M) = \mathcal{V} \cup \{c_m \mid m \in U_M\}$$

$M_C = (U_M, I_C)$ is the expansion of $M = (U_M, I)$ to a $\mathcal{V}(M)$ -structure where I_C interprets each c_m as the element m .

1. Introduction

2. Syntax

3. Semantics


4. Example

5. Conclusion

Back to the Silly Example

Toy example by Gregory Yob (1975), adapted by our textbook.

- 4×4 grid, tiles numbered (1,1) to (4,4),
 - the agent starts in (1,1),
 - the beast Wumpus sits at a random tile, unknown to the agent,
 - a pile of gold sits at another random tile, unknown to the agent,
 - some pits are located at random tiles, unknown to the agent.
- if the agent enters the tile of the Wumpus, he will be eaten,
 - if the agent enters a pit, he will be trapped,



Encoding in propositional logic

64 variables:

$P_{x,y}$ tile x, y contains a pit ($x, y = 1, \dots, 4$).

$W_{x,y}$ tile x, y contains the Wumpus ($x, y = 1, \dots, 4$).

$B_{x,y}$ tile x, y contains a breeze ($x, y = 1, \dots, 4$).

$S_{x,y}$ tile x, y contains stench ($x, y = 1, \dots, 4$).

start is safe: (2 formulas)

$$\neg P_{1,1}, \quad \neg W_{1,1}$$

how breeze arises: (16 formulas)

$$B_{x,y} \leftrightarrow P_{x-1,y} \vee P_{x+1,y} \vee P_{x,y-1} \vee P_{x,y+1}, \quad x, y = 1, \dots, 4$$

how stench arises: (16 formulas)

$$S_{x,y} \leftrightarrow W_{x-1,y} \vee W_{x+1,y} \vee W_{x,y-1} \vee W_{x,y+1}, \quad x, y = 1, \dots, 4$$

there is exactly one Wumpus: (121 formulas)

$$W_{1,1} \vee W_{1,2} \vee \dots \vee W_{4,4}$$

$$\neg W_{x,y} \vee \neg W_{x',y'}, \quad x, y, x', y' = 1, \dots, 4, x \neq x' \text{ or } y \neq y'$$

Encoding in first logic (1/2)

Vocabulary:

- constants 1, 2, 3, 4
- binary relations symbols P, W, B, S

Meaning of the predicates:

$P(x, y)$ tile x, y contains a pit.

$W(x, y)$ tile x, y contains the Wumpus.

$B(x, y)$ tile x, y contains a breeze.

$S(x, y)$ tile x, y contains stench.

Encoding in first logic (2/2)

start is safe:

$$\neg P(1, 1) \wedge \neg W(1, 1)$$

how breeze arises:

$$\forall x \forall y B(x, y) \leftrightarrow P(x - 1, y) \vee P(x + 1, y) \vee P(x, y - 1) \vee P(x, y + 1)$$

there is exactly one Wumpus:

$$W(x, y) \rightarrow \forall x' \forall y' W(x', y') \rightarrow (x = x' \wedge y = y')$$

Further possibilities: Encode actions as functions, encode time steps.

1. Introduction

2. Syntax

3. Semantics

4. Example

5. Conclusion

Summary

We introduced **first-order logic**, a representation language far more powerful than propositional logic.

- Knowledge representation should be declarative, compositional, expressive, context-independent, and unambiguous.
- **Constant symbols** name objects, **relation symbols** (predicates) name properties and relations, and **function symbols** name functions. Complex **terms** apply function symbols to terms to name an object.
- Given a \mathcal{V} -structure, the truth of a formula is determined.
- An **atomic formula** consists of a relation symbol applied to one or more terms; it is true iff. the relation named by the predicate holds between the objects named by the terms. **Complex formulas** use connectives just like propositional logic. **Quantifiers** allow the expression of general rules.

Outlook

Next lesson: **Inference** in first-order predicate logic.

Which other kind of logics exist?

- Temporal logic: $G\phi \rightarrow X\phi$
- Description logic: $C \subseteq D$
- Modal logic: $\Box p \rightarrow \Box\Box p$
- Higher-order predicate logic: $\forall P\forall x\forall y P(x, y) \wedge P(y, x) \rightarrow S(P)$
- Typed/intuitionistic/default/relevance logics
- ...

(not covered in this course)

Literature

- Shawn Hedman: *A First Course in Logic*
- Heinz-Dieter Ebbinghaus, Jörg Flum, Wolfgang Thomas: *Einführung in die mathematische Logik*
- Uwe Schöning: *Logik für Informatiker*
- Stuart Russell, Peter Norvig: *Artificial Intelligence. A Modern Approach*